


Зубчатая шестерня (без ступицы)



УГОЛ МОДУЛЯ : 20'
МАТЕРИАЛ : С 1040

1 Модуль

Z	12 - 85
L: 15 mm	
Dk	14 - 87

1,5 Модуль

Z	12 - 85
L: 17 mm	
Dk	21 - 130,5

2 Модуль

Z	12 - 85
L: 20 mm	
Dk	28 - 174

2,5 Модуль

Z	12 - 85
L: 25 mm	
Dk	35 - 217,5

3 Модуль

Z	12 - 85
L: 30 mm	
Dk	42 - 261

4 Модуль

Z	12 - 85
L: 40 mm	
Dk	56 - 348

5 Модуль

Z	12 - 85
L: 50 mm	
Dk	70 - 435


6 Модуль

Z	12 - 85
L: 60 mm	
Dk	84 - 522

8 Модуль

Z	12 - 85
L: 80 mm	
Dk	112 - 696

Зубчатая шестерня (со ступицей)



УГОЛ МОДУЛЯ : 20'
МАТЕРИАЛ : C 1040

1 Модуль

Z	12 - 85
L: 15 mm	
L1: 25 mm	
Dk	14 - 87

1,5 Модуль

Z	12 - 85
L: 17 mm	
L1: 30 mm	
Dk	21 - 130,5

2 Модуль

Z	12 - 85
L: 20 mm	
L1: 35 mm	
Dk	28 - 174

2,5 Модуль

Z	12 - 85
L: 25 mm	
L1: 45 mm	
Dk	35 - 217,5

3 Модуль

Z	12 - 85
L: 30 mm	
L1: 50 mm	
Dk	42 - 261

4 Модуль

Z	12 - 85
L: 40 mm	
L1: 60 mm	
Dk	56 - 348

5 Модуль

Z	12 - 85
L: 50 mm	
L1: 70 mm	
Dk	70 - 435


6 Модуль

Z	12 - 85
L: 60 mm	
L1: 80 mm	
Dk	84 - 522

8 Модуль

Z	12 - 85
L: 80 mm	
L1: 100 mm	
Dk	112 - 696

Зубчатая рейка



УГОЛ МОДУЛЯ : 20'
МАТЕРИАЛ : С 1040

AxB	18x18
M	1 - 2,5

AxB	20x20
M	1 - 3

AxB	22x22
M	1 - 4

AxB	25x25
M	1 - 5

AxB	30x30
M	1,5 - 6

AxB	35x35
M	2 - 7

AxB	40x40
M	2,5 - 8

AxB	45x45
M	3 - 8

AxB	50x50
M	4 - 8

AxB	55x55
M	5 - 8

AxB	60x60
M	6 - 8

AxB	25x10
M	1 - 5

AxB	30x15
M	1,5 - 6

AxB	30x20
M	1,5 - 6

AxB	40x20
M	2,5 - 8

AxB	50x20
M	4 - 8


AxB	50x30
M	4 - 8

AxB	60x20
M	6 - 8

AxB	60x30
M	6 - 8

модуль	шаг зубьев
1 M	3,14 mm
1,5 M	4,71 mm
2 M	6,28 mm
2,5 M	7,83 mm
3 M	9,42 mm
4 M	12,56 mm
5 M	15,70 mm
6 M	18,84 mm
7 M	21,98 mm
8 M	25,12 mm

Шкиф зубчатый под расточку



XL (серия)
 AL - алюминий


XL - 037 шаг зубьев : 5,08 mm ширина ремня : 9,40 mm

KOD	PD	KOD	PD	KOD	PD
XL 037 - 10 F	16,17	XL 037 - 26 F	42,04	XL 037 - 46	74,42
XL 037 - 11 F	17,79	XL 037 - 27 F	43,66	XL 037 - 48	77,62
XL 037 - 12 F	19,40	XL 037 - 28 F	45,28	XL 037 - 50	80,83
XL 037 - 13 F	21,02	XL 037 - 29 F	46,89	XL 037 - 52	84,12
XL 037 - 14 F	22,64	XL 037 - 30 F	48,51	XL 037 - 54	87,31
XL 037 - 15 F	24,26	XL 037 - 31 F	50,12	XL 037 - 56	90,59
XL 037 - 16 F	25,87	XL 037 - 32 F	51,74	XL 037 - 58	93,83
XL 037 - 17 F	27,49	XL 037 - 33 F	53,36	XL 037 - 60	97,02
XL 037 - 18 F	29,11	XL 037 - 34	54,98	XL 037 - 64	103,48
XL 037 - 19 F	30,72	XL 037 - 35	56,60	XL 037 - 68	110,01
XL 037 - 20 F	32,34	XL 037 - 36	58,21	XL 037 - 72	116,46
XL 037 - 21 F	33,96	XL 037 - 38	61,45	XL 037 - 84	135,82
XL 037 - 22 F	35,57	XL 037 - 40	64,68	XL 037 - 96	155,23
XL 037 - 23 F	37,18	XL 037 - 42	67,91	XL 037 - 102	164,93
XL 037 - 24 F	38,81	XL 037 - 44	71,15	XL 037 - 112	181,10
XL 037 - 25 F	40,44	XL 037 - 45	72,77	XL 037 - 114	184,33
				XL 037 - 144	232,84

XL - 037 шаг зубьев : 5,08 mm ширина ремня : 9,40 mm

KOD	PD	KOD	PD	KOD	PD
XL 037 - 10 F - AL	16,17	XL 037 - 26 F - AL	42,04	XL 037 - 46 AL	74,42
XL 037 - 11 F - AL	17,79	XL 037 - 27 F - AL	43,66	XL 037 - 48 AL	77,62
XL 037 - 12 F - AL	19,40	XL 037 - 28 F - AL	45,28	XL 037 - 50 AL	80,83
XL 037 - 13 F - AL	21,02	XL 037 - 29 F - AL	46,89	XL 037 - 52 AL	84,12
XL 037 - 14 F - AL	22,64	XL 037 - 30 F - AL	48,51	XL 037 - 54 AL	87,31
XL 037 - 15 F - AL	24,26	XL 037 - 31 F - AL	50,12	XL 037 - 56 AL	90,59
XL 037 - 16 F - AL	25,87	XL 037 - 32 F - AL	51,74	XL 037 - 58 AL	93,83
XL 037 - 17 F - AL	27,49	XL 037 - 33 F - AL	53,36	XL 037 - 60 AL	97,02
XL 037 - 18 F - AL	29,11	XL 037 - 34 AL	54,98	XL 037 - 64 AL	103,48
XL 037 - 19 F - AL	30,72	XL 037 - 35 AL	56,60	XL 037 - 68 AL	110,01
XL 037 - 20 F - AL	32,34	XL 037 - 36 AL	58,21	XL 037 - 72 AL	116,46
XL 037 - 21 F - AL	33,96	XL 037 - 38 AL	61,45	XL 037 - 84 AL	135,82
XL 037 - 22 F - AL	35,57	XL 037 - 40 AL	64,68	XL 037 - 96 AL	155,23
XL 037 - 23 F - AL	37,18	XL 037 - 42 AL	67,91	XL 037 - 102 AL	164,93
XL 037 - 24 F - AL	38,81	XL 037 - 44 AL	71,15	XL 037 - 112 AL	181,10
XL 037 - 25 F - AL	40,44	XL 037 - 45 AL	72,77	XL 037 - 114 AL	184,33
				XL 037 - 144 AL	232,84

Шкиф зубчатый под расточку



L (серия)

L - 050 шаг зубьев : 9,525 mm ширина ремня : 12,70 mm

L - 075 шаг зубьев : 9,525 mm ширина ремня : 19,05 mm


L - 100 шаг зубьев : 9,525 mm ширина ремня : 25,40 mm

KOD	PD
10 F	30,32
11 F	33,35
12 F	36,38
13 F	39,41
14 F	42,45
15 F	45,48
16 F	48,51
17 F	51,54
18 F	54,57
19 F	57,61
20 F	60,64
21 F	63,67
22 F	66,70
23 F	69,73
24 F	72,77
25 F	75,81

KOD	PD
26 F	78,83
27 F	81,86
28 F	84,89
29 F	87,93
30 F	90,96
31 F	93,99
32 F	97,02
33 F	100,05
34	103,08
35	106,12
36	109,15
38	115,27
40	121,28
42	127,34
44	133,41
45	136,44

KOD	PD
46	139,46
48	145,53
50	151,61
52	157,66
54	163,71
56	169,79
58	175,84
60	182,01
64	194,14
68	206,27
72	218,31
84	254,68
96	291,06
102	309,25
112	339,56
114	345,63
144	436,58

Шкиф зубчатый под расточку




H (серия)

- H - 075 шаг зубьев : 12,70 mm ширина ремня : 19,05 mm**
H - 100 шаг зубьев : 12,70 mm ширина ремня : 25,40 mm
H - 150 шаг зубьев : 12,70 mm ширина ремня : 38,10 mm
H - 200 шаг зубьев : 12,70 mm ширина ремня : 50,80 mm
H - 300 шаг зубьев : 12,70 mm ширина ремня : 76,20 mm

KOD	PD	KOD	PD	KOD	PD
10 F	40,42	26 F	105,11	46	185,95
11 F	44,46	27 F	109,15	48	194,03
12 F	48,51	28 F	113,12	50	202,13
13 F	52,55	29 F	117,23	52	210,21
14 F	56,61	30 F	121,29	54	218,29
15 F	60,64	31 F	125,31	56	226,37
16 F	64,67	32 F	129,36	58	234,47
17 F	68,72	33 F	133,40	60	242,55
18 F	72,77	34	137,45	64	258,71
19 F	76,81	35	141,49	68	275,03
20 F	80,85	36	145,53	72	291,06
21 F	84,89	38	153,62	84	339,57
22 F	88,94	40	161,70	96	388,08
23 F	92,98	42	169,79	102	412,32
24 F	97,03	44	177,87	112	452,75
25 F	101,06	45	181,97	114	460,83
				144	582,10

Шкиф зубчатый под расточку



3М (серия)
 AL - алюминий

3М-06 AL шаг зубьев : 3 mm ширина ремня : 6 mm

3М-09 AL шаг зубьев : 3 mm ширина ремня : 9 mm

3М-15 AL шаг зубьев : 3 mm ширина ремня : 15 mm


3М-06 шаг зубьев : 3 mm ширина ремня : 6 mm

3М-09 шаг зубьев : 3 mm ширина ремня : 9 mm

3М-15 шаг зубьев : 3 mm ширина ремня : 15 mm

KOD	PD	KOD	PD	KOD	PD
10 F	9,55	26 F	24,83	54	51,56
11 F	10,55	27 F	25,78	56	53,47
12 F	11,46	28 F	26,74	58	55,38
13 F	12,41	29 F	27,69	60	57,30
14 F	13,37	30 F	28,65	64	61,12
15 F	14,32	32 F	30,56	68	64,94
16 F	15,28	34	32,46	72	68,75
17 F	16,23	36	34,38	84	80,21
18 F	17,19	38	36,28	96	91,67
19 F	18,14	40	38,20	102	97,40
20 F	19,10	42	40,10	112	106,95
21 F	20,05	44	42,02	114	108,86
22 F	21,01	46	43,92	144	137,51
23 F	21,96	48	45,84		
24 F	22,92	50	47,74		
25 F	23,87	52	49,65		

Шкиф зубчатый под расточку




5M (серия)
 AL - алюминий

5M-09 AL шаг зубьев : 5 mm ширина ремня : 9 mm
5M-15 AL шаг зубьев : 5 mm ширина ремня : 15 mm
5M-25 AL шаг зубьев : 5 mm ширина ремня : 25 mm
5M-09 шаг зубьев : 5 mm ширина ремня : 9 mm
5M-15 шаг зубьев : 5 mm ширина ремня : 15 mm
5M-25 шаг зубьев : 5 mm ширина ремня : 25 mm

KOD	PD	KOD	PD	KOD	PD
10 F	15,91	26 F	41,38	54	85,94
11 F	17,50	27 F	42,97	56	89,12
12 F	19,10	28 F	44,56	58	92,30
13 F	20,69	29 F	46,15	60	95,49
14 F	22,28	30 F	47,75	64	101,85
15 F	23,87	32 F	50,93	68	108,22
16 F	25,45	34	54,11	72	114,59
17 F	27,05	36	57,29	84	133,68
18 F	28,65	38	60,47	96	152,78
19 F	30,24	40	63,66	102	162,33
20 F	31,83	42	66,84	112	178,25
21 F	33,42	44	70,03	114	181,43
22 F	35,01	46	73,20	144	229,17
23 F	36,60	48	76,39		
24 F	38,20	50	79,57		
25 F	39,78	52	82,75		

Шкиф зубчатый под расточку



8М (серия)

8М-20 шаг зубьев : 8 mm ширина ремня : 20 mm


8М-30 шаг зубьев : 8 mm ширина ремня : 30 mm

8М-50 шаг зубьев : 8 mm ширина ремня : 50 mm

8М-85 шаг зубьев : 8 mm ширина ремня : 85 mm

KOD	PD	KOD	PD	KOD	PD
10 F	25,46	26 F	66,21	54	137,50
11 F	28,01	27 F	68,75	56	142,59
12 F	30,56	28 F	71,30	58	147,59
13 F	33,11	29 F	73,84	60	152,78
14 F	35,64	30 F	76,39	64	162,97
15 F	38,19	32 F	81,49	68	173,15
16 F	40,74	34	86,58	72	183,35
17 F	43,28	36	91,67	84	213,89
18 F	45,83	38	96,77	96	244,45
19 F	48,38	40	101,86	102	259,73
20 F	50,92	42	106,94	112	285,19
21 F	53,47	44	112,05	114	290,29
22 F	56,02	46	117,13	144	366,68
23 F	58,56	48	122,23		
24 F	61,12	50	127,32		
25 F	63,65	52	132,41		

Шкиф зубчатый под расточку



14М (серия)


- 14М-40** шаг зубьев : 14 mm ширина ремня : 40 mm
14М-55 шаг зубьев : 14 mm ширина ремня : 55 mm
14М-85 шаг зубьев : 14 mm ширина ремня : 85 mm
14М-115 шаг зубьев : 14 mm ширина ремня : 115 mm
14М-170 шаг зубьев : 14 mm ширина ремня : 170 mm

KOD	PD
18 F	80,21
19 F	84,67
20 F	89,13
21 F	93,58
22 F	98,04
23 F	102,50
24 F	106,95
25 F	111,47
26 F	115,86
27 F	120,32
28 F	124,78
29 F	129,23
30 F	133,69
32 F	142,60
34 F	151,52
36 F	160,43

KOD	PD
38 F	169,34
40 F	178,25
42 F	187,16
44 F	196,08
46 F	204,99
48 F	213,90
50 F	222,81
52 F	231,73
54 F	240,64
56 F	249,55
58 F	258,46
60 F	267,38
64 F	285,20
68	303,02
72	320,86
84	374,32

KOD	PD
96	427,80
102	454,54
112	499,10
114	508,13
144	641,70

Шкиф зубчатый под расточку




T2,5 (серия)
 AL - алюминий

T2,5-06 AL шаг зубьев : 2,5 mm ширина ремня : 6 mm

T2,5-10 AL шаг зубьев : 2,5 mm ширина ремня : 6 mm

KOD	PD	KOD	PD	KOD	PD
10 F	7,95	26 F	20,69	54	42,97
11 F	8,75	27 F	21,48	56	44,56
12 F	9,54	28 F	22,28	58	46,15
13 F	10,34	29 F	29,07	60	47,74
14 F	11,14	30 F	23,87	64	50,92
15 F	11,93	32 F	25,46	68	54,11
16 F	12,73	34 F	27,05	72	57,29
17 F	13,52	36 F	26,64	84	66,84
18 F	14,32	38 F	30,27	96	76,39
19 F	15,12	40 F	31,83	102	81,16
20 F	15,91	42	33,42	112	89,12
21 F	16,71	44	35,01	114	90,71
22 F	17,50	46	36,60	144	114,58
23 F	18,30	48	38,19		
24 F	19,10	50	39,78		
25 F	19,89	52	41,38		

Шкиф зубчатый под расточку



T5 (серия)
 AT5 (серия)
 AL - алюминий

T5-10 AL шаг зубьев : 5 mm ширина ремня : 10 mm

T5-16 AL шаг зубьев : 5 mm ширина ремня : 16 mm

AT5-10 AL шаг зубьев : 5 mm ширина ремня : 10 mm

AT5-16 AL шаг зубьев : 5 mm ширина ремня : 16 mm


AT5-25 AL шаг зубьев : 5 mm ширина ремня : 25 mm

KOD	PD
10 F	15,92
11 F	17,51
12 F	19,10
13 F	20,69
14 F	22,29
15 F	23,88
16 F	25,47
17 F	27,05
18 F	28,65
19 F	30,25
20 F	31,83
21 F	33,42
22 F	35,01
23 F	36,60
24 F	38,21
25 F	39,80

KOD	PD
26 F	41,45
27 F	42,98
28 F	44,56
29 F	46,15
30 F	47,76
32 F	50,94
34 F	54,11
36 F	57,31
38 F	60,47
40 F	63,66
42	66,84
44	70,03
46	73,20
48	76,39
50	79,57
52	82,75

KOD	PD
54	85,94
56	89,12
58	92,30
60	95,49
64	101,85
68	108,22
72	114,59
84	133,68
96	158,78
102	162,32
112	178,24
114	181,42
144	229,17

Шкиф зубчатый под расточку



T10 (серия)
 AT10 (серия)
 AL - алюминий


- T10-16 AL шаг зубьев : 10 mm ширина ремня : 16 mm**
T10-25 AL шаг зубьев : 10 mm ширина ремня : 25 mm
T10-32 AL шаг зубьев : 10 mm ширина ремня : 32 mm
T10-50 AL шаг зубьев : 10 mm ширина ремня : 50 mm
AT10-16 AL шаг зубьев : 10 mm ширина ремня : 16 mm
AT10-25 AL шаг зубьев : 10 mm ширина ремня : 25 mm
AT10-32 AL шаг зубьев : 10 mm ширина ремня : 32 mm
AT10-50 AL шаг зубьев : 10 mm ширина ремня : 50 mm

KOD	PD
10 F	31,83
11 F	35,01
12 F	38,20
13 F	41,38
14 F	44,56
15 F	47,75
16 F	50,93
17 F	54,11
18 F	57,29
19 F	60,48
20 F	63,66
21 F	66,85
22 F	70,03
23 F	73,21
24 F	76,39
25 F	79,57

KOD	PD
26 F	82,76
27 F	85,94
28 F	89,13
29 F	92,31
30 F	95,49
32 F	101,86
34 F	108,22
36 F	114,59
38 F	120,96
40 F	127,32
42	133,68
44	140,06
46	146,42
48	152,78
50	159,15
52	165,51

KOD	PD
54	171,88
56	178,25
58	184,61
60	190,98
64	203,71
68	216,44
72	229,18
84	267,37
96	305,57
102	324,66
112	356,49
114	362,86
144	458,35

Шкиф зубчатый под втулку тапербуш





В-L (серия)

В-L-050 шаг зубьев : 9,525 mm ширина ремня : 12,70 mm

KOD	PD	втулка
BL 050 - 18F	54,57	1008
BL 050 - 19F	57,61	1008
BL 050 - 20F	60,64	1008
BL 050 - 21F	63,67	1008
BL 050 - 22F	66,70	1008
BL 050 - 23F	69,73	1008
BL 050 - 24F	72,77	1008
BL 050 - 25F	75,81	1008
BL 050 - 26F	78,83	1008
BL 050 - 27F	81,86	1008
BL 050 - 28F	84,89	1008
BL 050 - 29F	87,93	1008
BL 050 - 30F	90,96	1008
BL 050 - 32F	97,02	1008
BL 050 - 34F	103,08	1008
BL 050 - 36F	109,15	1008
BL 050 - 38F	115,27	1610
BL 050 - 40F	121,28	1610
BL 050 - 42F	127,34	1610
BL 050 - 44F	133,41	1610

KOD	PD	втулка
BL 050 - 46F	139,46	1610
BL 050 - 48F	145,53	1610
BL 050 - 50	151,61	1610
BL 050 - 52	157,66	1610
BL 050 - 54	163,71	1610
BL 050 - 56	169,79	1610
BL 050 - 58	175,84	1610
BL 050 - 60	182,01	1610
BL 050 - 64	194,14	1610
BL 050 - 68	206,27	1610
BL 050 - 72	218,31	1610
BL 050 - 84	254,67	1610
BL 050 - 96	291,06	2012
BL 050 - 102	309,25	2012
BL 050 - 112	339,56	2012
BL 050 - 114	345,63	2012
BL 050 - 144	436,58	2012

Шкиф зубчатый под втулку тапербуш




В-L (серия)

В-L-075 шаг зубьев : 9,525 mm ширина ремня : 19,05 mm

KOD	PD	втулка
BL 075 - 18F	54,57	1008
BL 075 - 19F	57,61	1008
BL 075 - 20F	60,64	1008
BL 075 - 21F	63,67	1008
BL 075 - 22F	66,70	1008
BL 075 - 23F	69,73	1008
BL 075 - 24F	72,77	1008
BL 075 - 25F	75,81	1008
BL 075 - 26F	78,83	1008
BL 075 - 27F	81,86	1008
BL 075 - 28F	84,89	1008
BL 075 - 29F	87,93	1008
BL 075 - 30F	90,96	1008
BL 075 - 32F	97,02	1008
BL 075 - 34F	103,08	1008
BL 075 - 36F	109,15	1008
BL 075 - 38F	115,27	1610
BL 075 - 40F	121,28	1610
BL 075 - 42F	127,34	1610
BL 075 - 44F	133,41	1610

KOD	PD	втулка
BL 075 - 46F	139,46	1610
BL 075 - 48F	145,53	1610
BL 075 - 50	151,61	1610
BL 075 - 52	157,66	1610
BL 075 - 54	163,71	1610
BL 075 - 56	169,79	1610
BL 075 - 58	175,84	1610
BL 075 - 60	182,01	1610
BL 075 - 64	194,14	1610
BL 075 - 68	206,27	1610
BL 075 - 72	218,31	1610
BL 075 - 84	254,67	1610
BL 075 - 96	291,06	2012
BL 075 - 102	309,25	2012
BL 075 - 112	339,56	2012
BL 075 - 114	345,63	2012
BL 075 - 144	436,58	2012

Шкиф зубчатый под втулку тапербуш




B-L (серия)

B-L-100 шаг зубьев : 9,525 mm ширина ремня : 25,40 mm

KOD	PD	втулка
BL 100 - 18F	54,57	1008
BL 100 - 19F	57,61	1008
BL 100 - 20F	60,64	1008
BL 100 - 21F	63,67	1008
BL 100 - 22F	66,70	1008
BL 100 - 23F	69,73	1008
BL 100 - 24F	72,77	1008
BL 100 - 25F	75,81	1008
BL 100 - 26F	78,83	1008
BL 100 - 27F	81,86	1008
BL 100 - 28F	84,89	1008
BL 100 - 29F	87,93	1008
BL 100 - 30F	90,96	1210
BL 100 - 32F	97,02	1210
BL 100 - 34F	103,08	1210
BL 100 - 36F	109,15	1610
BL 100 - 38F	115,27	1610
BL 100 - 40F	121,28	1610
BL 100 - 42F	127,34	1610
BL 100 - 44F	133,41	1610

KOD	PD	втулка
BL 100 - 46F	139,46	1610
BL 100 - 48F	145,53	1610
BL 100 - 50	151,61	1610
BL 100 - 52	157,66	1610
BL 100 - 54	163,71	1610
BL 100 - 56	169,79	1610
BL 100 - 58	175,84	1610
BL 100 - 60	182,01	1610
BL 100 - 64	194,14	1610
BL 100 - 68	206,27	2012
BL 100 - 72	218,31	2012
BL 100 - 84	254,67	2012
BL 100 - 96	291,06	2012
BL 100 - 102	309,25	2012
BL 100 - 112	339,56	2012
BL 100 - 114	345,63	2012
BL 100 - 144	436,58	2012

Шкиф зубчатый под втулку тапербуш




В-Н (серия)

В-Н-200 шаг зубьев : 12,70 mm ширина ремня : 50,80 mm

KOD	PD	втулка
BH 200 - 14F	56,61	1008
BH 200 - 15F	60,64	1008
BH 200 - 16F	64,67	1008
BH 200 - 17F	68,72	1008
BH 200 - 18F	72,77	1210
BH 200 - 19F	76,81	1210
BH 200 - 20F	80,85	1610
BH 200 - 21F	84,89	1610
BH 200 - 22F	88,94	1610
BH 200 - 23F	92,98	1610
BH 200 - 24F	97,03	1610
BH 200 - 25F	101,06	1610
BH 200 - 26F	105,11	1610
BH 200 - 27F	109,15	1610
BH 200 - 28F	113,18	1610
BH 200 - 29F	117,23	1610
BH 200 - 30F	121,29	1610
BH 200 - 32F	129,36	2012
BH 200 - 34F	137,45	2012
BH 200 - 36F	145,53	2012

KOD	PD	втулка
BH 200 - 38F	153,62	2012
BH 200 - 40F	161,70	2012
BH 200 - 42F	169,79	2012
BH 200 - 44F	177,87	2012
BH 200 - 46F	185,95	2012
BH 200 - 48F	194,03	2517
BH 200 - 50	202,13	2517
BH 200 - 52	210,21	2517
BH 200 - 54	218,29	2517
BH 200 - 56	226,37	2517
BH 200 - 58	234,47	2517
BH 200 - 60	242,55	2517
BH 200 - 64	258,71	2517
BH 200 - 68	275,03	2517
BH 200 - 72	291,06	2517
BH 200 - 84	339,57	2517
BH 200 - 96	388,08	2517
BH 200 - 102	412,32	2517
BH 200 - 112	452,75	2517
BH 200 - 114	460,83	2517
BH 200 - 144	582,10	2517

Шкиф зубчатый под втулку тапербуш




В-Н (серия)

В-Н-150 шаг зубьев : 12,70 mm ширина ремня : 38,10 mm

KOD	PD	втулка
BH 150 - 14F	56,61	1008
BH 150 - 15F	60,64	1008
BH 150 - 16F	64,67	1008
BH 150 - 17F	68,72	1008
BH 150 - 18F	72,77	1210
BH 150 - 19F	76,81	1210
BH 150 - 20F	80,85	1210
BH 150 - 21F	84,89	1210
BH 150 - 22F	88,94	1210
BH 150 - 23F	92,98	1610
BH 150 - 24F	97,03	1610
BH 150 - 25F	101,06	1610
BH 150 - 26F	105,11	1610
BH 150 - 27F	109,15	1610
BH 150 - 28F	113,18	1610
BH 150 - 29F	117,23	1610
BH 150 - 30F	121,29	1610
BH 150 - 32F	129,36	1610
BH 150 - 34F	137,45	1610
BH 150 - 36F	145,53	1610

KOD	PD	втулка
BH 150 - 38F	153,62	1610
BH 150 - 40F	161,70	1610
BH 150 - 42F	169,79	1610
BH 150 - 44F	177,87	2012
BH 150 - 46F	185,95	2012
BH 150 - 48F	194,03	2012
BH 150 - 50	202,13	2012
BH 150 - 52	210,21	2012
BH 150 - 54	218,29	2012
BH 150 - 56	226,37	2012
BH 150 - 58	234,47	2012
BH 150 - 60	242,55	2012
BH 150 - 64	258,71	2012
BH 150 - 68	275,03	2012
BH 150 - 72	291,06	2012
BH 150 - 84	339,57	2012
BH 150 - 96	388,08	2517
BH 150 - 102	412,32	2517
BH 150 - 112	452,75	2517
BH 150 - 114	460,83	2517
BH 150 - 144	582,10	2517

Шкиф зубчатый под втулку тапербуш




В-Н (серия)

В-Н-100 шаг зубьев : 12,70 mm ширина ремня : 25,40 mm

KOD	PD	втулка
BH 100 - 14F	56,61	1008
BH 100 - 15F	60,64	1008
BH 100 - 16F	64,67	1008
BH 100 - 17F	68,72	1008
BH 100 - 18F	72,77	1210
BH 100 - 19F	76,81	1210
BH 100 - 20F	80,85	1210
BH 100 - 21F	84,89	1210
BH 100 - 22F	88,94	1210
BH 100 - 23F	92,98	1610
BH 100 - 24F	97,03	1610
BH 100 - 25F	101,06	1610
BH 100 - 26F	105,11	1610
BH 100 - 27F	109,15	1610
BH 100 - 28F	113,18	1610
BH 100 - 29F	117,23	1610
BH 100 - 30F	121,29	1610
BH 100 - 32F	129,36	1610
BH 100 - 34F	137,45	1610
BH 100 - 36F	145,53	1610

KOD	PD	втулка
BH 100 - 38F	153,62	1610
BH 100 - 40F	161,70	1610
BH 100 - 42F	169,79	1610
BH 100 - 44F	177,87	2012
BH 100 - 46F	185,95	2012
BH 100 - 48F	194,03	2012
BH 100 - 50	202,13	2012
BH 100 - 52	210,21	2012
BH 100 - 54	218,29	2012
BH 100 - 56	226,37	2012
BH 100 - 58	234,47	2012
BH 100 - 60	242,55	2012
BH 100 - 64	258,71	2012
BH 100 - 68	275,03	2012
BH 100 - 72	291,06	2012
BH 100 - 84	339,57	2012
BH 100 - 96	388,08	2517
BH 100 - 102	412,32	2517
BH 100 - 112	452,75	2517
BH 100 - 114	460,83	2517
BH 100 - 144	582,10	2517

Шкиф зубчатый под втулку тапербуш




В-Н (серия)

В-Н-075 шаг зубьев : 12,70 mm

KOD	PD	втулка
BH 075 - 14F	56,61	1008
BH 075 - 15F	60,64	1008
BH 075 - 16F	64,67	1008
BH 075 - 17F	68,72	1008
BH 075 - 18F	72,77	1210
BH 075 - 19F	76,81	1210
BH 075 - 20F	80,85	1210
BH 075 - 21F	84,89	1210
BH 075 - 22F	88,94	1210
BH 075 - 23F	92,98	1610
BH 075 - 24F	97,03	1610
BH 075 - 25F	101,06	1610
BH 075 - 26F	105,11	1610
BH 075 - 27F	109,15	1610
BH 075 - 28F	113,18	1610
BH 075 - 29F	117,23	1610
BH 075 - 30F	121,29	1610
BH 075 - 32F	129,36	1610
BH 075 - 34F	137,45	1610
BH 075 - 36F	145,53	1610

KOD	PD	втулка
BH 075 - 38F	153,62	1610
BH 075 - 40F	161,70	1610
BH 075 - 42F	169,79	1610
BH 075 - 44F	177,87	2012
BH 075 - 46F	185,95	2012
BH 075 - 48F	194,03	2012
BH 075 - 50	202,13	2012
BH 075 - 52	210,21	2012
BH 075 - 54	218,29	2012
BH 075 - 56	226,37	2012
BH 075 - 58	234,47	2012
BH 075 - 60	242,55	2012
BH 075 - 64	258,71	2012
BH 075 - 68	275,03	2012
BH 075 - 72	291,06	2012
BH 075 - 84	339,57	2012
BH 075 - 96	388,08	2517
BH 075 - 102	412,32	2517
BH 075 - 112	452,75	2517
BH 075 - 114	460,83	2517
BH 075 - 144	582,10	2517

Шкиф зубчатый под втулку тапербуш




В-Н (серия)

В-Н-300 шаг зубьев : 12,70 mm

KOD	PD	втулка
BH 300 - 14F	56,61	1008
BH 300 - 15F	60,64	1008
BH 300 - 16F	64,67	1008
BH 300 - 17F	68,72	1008
BH 300 - 18F	72,77	1210
BH 300 - 19F	76,81	1210
BH 300 - 20F	80,85	1610
BH 300 - 21F	84,89	1610
BH 300 - 22F	88,94	1610
BH 300 - 23F	92,98	1610
BH 300 - 24F	97,03	1610
BH 300 - 25F	101,06	1610
BH 300 - 26F	105,11	1610
BH 300 - 27F	109,15	1610
BH 300 - 28F	113,18	1610
BH 300 - 29F	117,23	1610
BH 300 - 30F	121,29	1610
BH 300 - 32F	129,36	2012
BH 300 - 34F	137,45	2012
BH 300 - 36F	145,53	2012

KOD	PD	втулка
BH 300 - 38F	153,62	2012
BH 300 - 40F	161,70	2012
BH 300 - 42F	169,79	2012
BH 300 - 44F	177,87	2012
BH 300 - 46F	185,95	2012
BH 300 - 48F	194,03	2517
BH 300 - 50	202,13	2517
BH 300 - 52	210,21	2517
BH 300 - 54	218,29	2517
BH 300 - 56	226,37	2517
BH 300 - 58	234,47	2517
BH 300 - 60	242,55	2517
BH 300 - 64	258,71	2517
BH 300 - 68	275,03	2517
BH 300 - 72	291,06	2517
BH 300 - 84	339,57	2517
BH 300 - 96	388,08	3030
BH 300 - 102	412,32	3030
BH 300 - 112	452,75	3030
BH 300 - 114	460,83	3030
BH 300 - 144	582,10	3030

Шкиф зубчатый под втулку тапербуш




B-5M (серия)

B-5M-09 шаг зубьев : 5 mm ширина ремня : 9 mm

KOD	PD	втулка
B-5M-09 - 34F	54,11	1008
B-5M-09 - 36F	57,29	1008
B-5M-09 - 38F	60,47	1008
B-5M-09 - 40F	63,66	1008
B-5M-09 - 42F	66,84	1008
B-5M-09 - 44F	70,03	1008
B-5M-09 - 46F	73,20	1008
B-5M-09 - 48F	76,39	1210
B-5M-09 - 50F	79,57	1210
B-5M-09 - 52F	82,75	1210
B-5M-09 - 54F	85,94	1210
B-5M-09 - 56F	89,12	1210
B-5M-09 - 58F	92,30	1210
B-5M-09 - 60F	95,49	1210
B-5M-09 - 64F	101,85	1210
B-5M-09 - 68F	108,22	1610
B-5M-09 - 72F	114,59	1610
B-5M-09 - 84	138,68	1610
B-5M-09 - 96	152,78	2012
B-5M-09 - 102	162,32	2012
B-5M-09 - 112	178,24	2012
B-5M-09 - 114	181,42	2012
B-5M-09 - 144	229,17	2012

Шкиф зубчатый под втулку тапербуш




B-5M (серия)

B-5M-15 шаг зубьев : 5 mm ширина ремня : 15 mm

KOD	PD	втулка
B-5M-15 - 34F	54,11	1008
B-5M-15 - 36F	57,29	1008
B-5M-15 - 38F	60,47	1008
B-5M-15 - 40F	63,66	1008
B-5M-15 - 42F	66,84	1008
B-5M-15 - 44F	70,03	1008
B-5M-15 - 46F	73,20	1008
B-5M-15 - 48F	76,39	1210
B-5M-15 - 50F	79,57	1210
B-5M-15 - 52F	82,75	1210
B-5M-15 - 54F	85,94	1210
B-5M-15 - 56F	89,12	1210
B-5M-15 - 58F	92,30	1210
B-5M-15 - 60F	95,49	1210
B-5M-15 - 64F	101,85	1210
B-5M-15 - 68F	108,22	1610
B-5M-15 - 72F	114,59	1610
B-5M-15 - 84	138,68	1610
B-5M-15 - 96	152,78	2012
B-5M-15 - 102	162,32	2012
B-5M-15 - 112	178,24	2012
B-5M-15 - 114	181,42	2012
B-5M-15 - 144	229,17	2012

Шкиф зубчатый под втулку тапербуш




B-5M (серия)

B-5M-25 шаг зубьев : 5 mm ширина ремня : 25 mm

KOD	PD	втулка
B-5M-25 - 34F	54,11	1008
B-5M-25 - 36F	57,29	1008
B-5M-25 - 38F	60,47	1008
B-5M-25 - 40F	63,66	1008
B-5M-25 - 42F	66,84	1008
B-5M-25 - 44F	70,03	1008
B-5M-25 - 46F	73,20	1008
B-5M-25 - 48F	76,39	1210
B-5M-25 - 50F	79,57	1210
B-5M-25 - 52F	82,75	1210
B-5M-25 - 54F	85,94	1210
B-5M-25 - 56F	89,12	1210
B-5M-25 - 58F	92,30	1210
B-5M-25 - 60F	95,49	1210
B-5M-25 - 64F	101,85	1210
B-5M-25 - 68F	108,22	1610
B-5M-25 - 72F	114,59	1610
B-5M-25 - 84	138,68	1610
B-5M-25 - 96	152,78	2012
B-5M-25 - 102	162,32	2012
B-5M-25 - 112	178,24	2012
B-5M-25 - 114	181,42	2012
B-5M-25 - 144	229,17	2012

Шкиф зубчатый под втулку тапербуш




В-8М (серия)

В-8М-20 шаг зубьев : 8 mm ширина ремня : 20mm

KOD	PD	втулка
B-8M-20 - 20F	50,92	1008
B-8M-20 - 21F	53,47	1008
B-8M-20 - 22F	56,02	1008
B-8M-20 - 23F	58,56	1008
B-8M-20 - 24F	61,12	1008
B-8M-20 - 25F	63,66	1008
B-8M-20 - 26F	66,21	1008
B-8M-20 - 27F	68,75	1008
B-8M-20 - 28F	71,30	1008
B-8M-20 - 29F	73,84	1008
B-8M-20 - 30F	76,39	1210
B-8M-20 - 32F	81,49	1210
B-8M-20 - 34F	86,58	1610
B-8M-20 - 36F	91,67	1610
B-8M-20 - 38F	96,77	1610
B-8M-20 - 40F	101,86	1610
B-8M-20 - 42F	106,95	1610

KOD	PD	втулка
B-8M-20 - 44F	112,05	2012
B-8M-20 - 46F	117,13	2012
B-8M-20 - 48F	122,23	2012
B-8M-20 - 50F	127,32	2012
B-8M-20 - 52F	132,41	2012
B-8M-20 - 54F	137,50	2012
B-8M-20 - 56F	142,60	2012
B-8M-20 - 58F	147,69	2012
B-8M-20 - 60F	152,78	2012
B-8M-20 - 64F	162,97	2012
B-8M-20 - 68F	173,15	2012
B-8M-20 - 72F	183,35	2012
B-8M-20 - 84	213,89	2517
B-8M-20 - 96	244,45	2517
B-8M-20 - 102	259,72	2517
B-8M-20 - 112	285,19	2517
BH 300 - 114	290,28	2517
BH 300 - 144	366,67	2517

Шкиф зубчатый под втулку тапербуш




B-8M (серия)

B-8M-30 шаг зубьев : 8 mm ширина ремня : 30mm

KOD	PD	втулка
B-8M-30 - 20F	50,92	1008
B-8M-30 - 21F	53,47	1008
B-8M-30 - 22F	56,02	1008
B-8M-30 - 23F	58,56	1008
B-8M-30 - 24F	61,12	1008
B-8M-30 - 25F	63,66	1008
B-8M-30 - 26F	66,21	1008
B-8M-30 - 27F	68,75	1008
B-8M-30 - 28F	71,30	1008
B-8M-30 - 29F	73,84	1210
B-8M-30 - 30F	76,39	1210
B-8M-30 - 32F	81,49	1610
B-8M-30 - 34F	86,58	1610
B-8M-30 - 36F	91,67	1610
B-8M-30 - 38F	96,77	1610
B-8M-30 - 40F	101,86	1610
B-8M-30 - 42F	106,95	1610

KOD	PD	втулка
B-8M-30 - 44F	112,05	2012
B-8M-30 - 46F	117,13	2012
B-8M-30 - 48F	122,23	2012
B-8M-30 - 50F	127,32	2012
B-8M-30 - 52F	132,41	2012
B-8M-30 - 54F	137,50	2012
B-8M-30 - 56F	142,60	2012
B-8M-30 - 58F	147,69	2012
B-8M-30 - 60F	152,78	2012
B-8M-30 - 64F	162,97	2517
B-8M-30 - 68F	173,15	2517
B-8M-30 - 72F	183,35	2517
B-8M-30 - 84	213,89	2517
B-8M-30 - 96	244,45	2517
B-8M-30 - 102	259,72	2517
B-8M-30 - 112	285,19	2517
B-8M-30 - 114	290,28	2517
B-8M-30 - 144	366,67	2517

Шкиф зубчатый под втулку тапербуш





B-8M (серия)

B-8M-50 шаг зубьев : 8 mm ширина ремня : 50mm

KOD	PD	втулка
B-8M-50 - 20F	50,92	1008
B-8M-50 - 21F	53,47	1008
B-8M-50 - 22F	56,02	1008
B-8M-50 - 23F	58,56	1008
B-8M-50 - 24F	61,12	1008
B-8M-50 - 25F	63,66	1008
B-8M-50 - 26F	66,21	1008
B-8M-50 - 27F	68,75	1008
B-8M-50 - 28F	71,30	1008
B-8M-50 - 29F	73,84	1210
B-8M-50 - 30F	76,39	1210
B-8M-50 - 32F	81,49	1610
B-8M-50 - 34F	86,58	1610
B-8M-50 - 36F	91,67	1610
B-8M-50 - 38F	96,77	1610
B-8M-50 - 40F	101,86	2012
B-8M-50 - 42F	106,95	2012

KOD	PD	втулка
B-8M-50 - 44F	112,05	2012
B-8M-50 - 46F	117,13	2012
B-8M-50 - 48F	122,23	2012
B-8M-50 - 50F	127,32	2012
B-8M-50 - 52F	132,41	2012
B-8M-50 - 54F	137,50	2012
B-8M-50 - 56F	142,60	2517
B-8M-50 - 58F	147,69	2517
B-8M-50 - 60F	152,78	2517
B-8M-50 - 64F	162,97	2517
B-8M-50 - 68F	173,15	2517
B-8M-50 - 72F	183,35	2517
B-8M-50 - 84	213,89	2517
B-8M-50 - 96	244,45	3020
B-8M-50 - 102	259,72	3020
B-8M-50 - 112	285,19	3020
B-8M-50 - 114	290,28	3020
B-8M-50 - 144	366,67	3020

Шкиф зубчатый под втулку тапербуш




B-8M (серия)

B-8M-85 шаг зубьев : 8 mm ширина ремня : 85mm

KOD	PD	втулка
B-8M-85 - 20F	50,92	1008
B-8M-85 - 21F	53,47	1008
B-8M-85 - 22F	56,02	1008
B-8M-85 - 23F	58,56	1008
B-8M-85 - 24F	61,12	1008
B-8M-85 - 25F	63,66	1008
B-8M-85 - 26F	66,21	1008
B-8M-85 - 27F	68,75	1008
B-8M-85 - 28F	71,30	1008
B-8M-85 - 29F	73,84	1210
B-8M-85 - 30F	76,39	1210
B-8M-85 - 32F	81,49	1210
B-8M-85 - 34F	86,58	1615
B-8M-85 - 36F	91,67	1615
B-8M-85 - 38F	96,77	1615
B-8M-85 - 40F	101,86	2012
B-8M-85 - 42F	106,95	2012

KOD	PD	втулка
B-8M-85 - 44F	112,05	2012
B-8M-85 - 46F	117,13	2012
B-8M-85 - 48F	122,23	2517
B-8M-85 - 50F	127,32	2517
B-8M-85 - 52F	132,41	2517
B-8M-85 - 54F	137,50	2517
B-8M-85 - 56F	142,60	2517
B-8M-85 - 58F	147,69	2517
B-8M-85 - 60F	152,78	2517
B-8M-85 - 64F	162,97	2517
B-8M-85 - 68F	173,15	2517
B-8M-85 - 72F	183,35	3020
B-8M-85 - 84	213,89	3020
B-8M-85 - 96	244,45	3020
B-8M-85 - 102	259,72	3020
B-8M-85 - 112	285,19	3020
B-8M-85 - 114	290,28	3020
B-8M-85 - 144	366,67	2517

Шкиф зубчатый под втулку тапербуш




B-14M (серия)

B-14M-40 шаг зубьев : 14 mm ширина ремня : 40 mm

KOD	PD	втулка
B-14M-40 - 23F	102,50	1215
B-14M-40 - 24F	106,95	1215
B-14M-40 - 25F	111,41	1615
B-14M-40 - 26F	115,86	1615
B-14M-40 - 27F	120,32	2012
B-14M-40 - 28F	124,78	2012
B-14M-40 - 29F	129,23	2012
B-14M-40 - 30F	133,69	2012
B-14M-40 - 32F	142,60	2012
B-14M-40 - 34F	151,52	2517
B-14M-40 - 36F	160,43	2517
B-14M-40 - 38F	169,34	2517
B-14M-40 - 40F	178,25	2517
B-14M-40 - 42F	187,16	2517
B-14M-40 - 44F	196,08	3020
B-14M-40 - 46F	204,99	3020
B-14M-40 - 48F	213,90	3020

KOD	PD	втулка
B-14M-40 - 50F	222,81	3020
B-14M-40 - 52F	231,73	3020
B-14M-40 - 54F	240,64	3020
B-14M-40 - 56F	249,55	3020
B-14M-40 - 58F	258,46	3020
B-14M-40 - 60F	267,38	3020
B-14M-40 - 64F	285,20	3020
B-14M-40 - 68	303,02	3020
B-14M-40 - 72	320,86	3020
B-14M-40 - 84	374,32	3020
B-14M-40 - 96	427,80	3020
B-14M-40 - 102	454,53	3020
B-14M-40 - 112	499,10	3525
B-14M-40 - 114	508,01	3525
B-14M-40 - 144	641,70	3525

Шкиф зубчатый под втулку тапербуш




B-14M (серия)

B-14M-55 шаг зубьев : 14 mm ширина ремня : 55 mm

KOD	PD	втулка
B-14M-55 - 23F	102,50	1215
B-14M-55 - 24F	106,95	1215
B-14M-55 - 25F	111,41	1615
B-14M-55 - 26F	115,86	1615
B-14M-55 - 27F	120,32	2012
B-14M-55 - 28F	124,78	2012
B-14M-55 - 29F	129,23	2012
B-14M-55 - 30F	133,69	2012
B-14M-55 - 32F	142,60	2517
B-14M-55 - 34F	151,52	2517
B-14M-55 - 36F	160,43	2517
B-14M-55 - 38F	169,34	2517
B-14M-55 - 40F	178,25	2517
B-14M-55 - 42F	187,16	2517
B-14M-55 - 44F	196,08	3020
B-14M-55 - 46F	204,99	3020
B-14M-55 - 48F	213,90	3020

KOD	PD	втулка
B-14M-55 - 50F	222,81	3020
B-14M-55 - 52F	231,73	3020
B-14M-55 - 54F	240,64	3020
B-14M-55 - 56F	249,55	3020
B-14M-55 - 58F	258,46	3020
B-14M-55 - 60F	267,38	3020
B-14M-55 - 64F	285,20	3020
B-14M-55 - 68	303,02	3020
B-14M-55 - 72	320,86	3020
B-14M-55 - 84	374,32	3020
B-14M-55 - 96	427,80	3020
B-14M-55 - 102	454,53	3020
B-14M-55 - 112	499,10	3525
B-14M-55 - 114	508,01	3525
B-14M-55 - 144	641,70	3525

Шкиф зубчатый под втулку тапербуш




B-14M (серия)

B-14M-85 шаг зубьев : 14 mm ширина ремня : 85 mm

KOD	PD	втулка
B-14M-85 - 23F	102,50	1215
B-14M-85 - 24F	106,95	1215
B-14M-85 - 25F	111,41	1615
B-14M-85 - 26F	115,86	1615
B-14M-85 - 27F	120,32	2012
B-14M-85 - 28F	124,78	2012
B-14M-85 - 29F	129,23	2012
B-14M-85 - 30F	133,69	2012
B-14M-85 - 32F	142,60	2517
B-14M-85 - 34F	151,52	2517
B-14M-85 - 36F	160,43	3020
B-14M-85 - 38F	169,34	3020
B-14M-85 - 40F	178,25	3020
B-14M-85 - 42F	187,16	3020
B-14M-85 - 44F	196,08	3020
B-14M-85 - 46F	204,99	3020
B-14M-85 - 48F	213,90	3020

KOD	PD	втулка
B-14M-85 - 50F	222,81	3535
B-14M-85 - 52F	231,73	3535
B-14M-85 - 54F	240,64	3535
B-14M-85 - 56F	249,55	3535
B-14M-85 - 58F	258,46	3535
B-14M-85 - 60F	267,38	3535
B-14M-85 - 64F	285,20	3535
B-14M-85 - 68	303,02	3535
B-14M-85 - 72	320,86	3535
B-14M-85 - 84	374,32	3535
B-14M-85 - 96	427,80	3535
B-14M-85 - 102	454,53	3535
B-14M-85 - 112	499,10	3525
B-14M-85 - 114	508,01	3525
B-14M-85 - 144	641,70	4040

Шкиф зубчатый под втулку тапербуш




B-14M (серия)

B-14M-115 шаг зубьев : 14 mm ширина ремня : 115 mm

KOD	PD	втулка
B-14M-115 - 23F	102,50	1215
B-14M-115 - 24F	106,95	1215
B-14M-115 - 25F	111,41	1615
B-14M-115 - 26F	115,86	1615
B-14M-115 - 27F	120,32	2012
B-14M-115 - 28F	124,78	2012
B-14M-115 - 29F	129,23	2012
B-14M-115 - 30F	133,69	2012
B-14M-115 - 32F	142,60	2517
B-14M-115 - 34F	151,52	2517
B-14M-115 - 36F	160,43	3020
B-14M-115 - 38F	169,34	3020
B-14M-115 - 40F	178,25	3020
B-14M-115 - 42F	187,16	3535
B-14M-115 - 44F	196,08	3535
B-14M-115 - 46F	204,99	3535
B-14M-115 - 48F	213,90	3535

KOD	PD	втулка
B-14M-115 - 50F	222,81	4040
B-14M-115 - 52F	231,73	4040
B-14M-115 - 54F	240,64	4040
B-14M-115 - 56F	249,55	4040
B-14M-115 - 58F	258,46	4040
B-14M-115 - 60F	267,38	4040
B-14M-115 - 64F	285,20	4040
B-14M-115 - 68	303,02	4545
B-14M-115 - 72	320,86	4545
B-14M-115 - 84	374,32	4545
B-14M-115 - 96	427,80	4545
B-14M-115 - 102	454,53	4545
B-14M-115 - 112	499,10	4545
B-14M-115 - 114	508,01	4545
B-14M-115 - 144	641,70	4545

Шкиф зубчатый под втулку тапербуш




B-14M (серия)

B-14M-170 шаг зубьев : 14 mm ширина ремня : 170 mm

KOD	PD	втулка
B-14M-170 - 23F	102,50	1215
B-14M-170 - 24F	106,95	1215
B-14M-170 - 25F	111,41	1615
B-14M-170 - 26F	115,86	1615
B-14M-170 - 27F	120,32	2012
B-14M-170 - 28F	124,78	2012
B-14M-170 - 29F	129,23	2012
B-14M-170 - 30F	133,69	2012
B-14M-170 - 32F	142,60	2012
B-14M-170 - 34F	151,52	2517
B-14M-170 - 36F	160,43	3030
B-14M-170 - 38F	169,34	3030
B-14M-170 - 40F	178,25	3030
B-14M-170 - 42F	187,16	3535
B-14M-170 - 44F	196,08	3535
B-14M-170 - 46F	204,99	3535
B-14M-170 - 48F	213,90	3535

KOD	PD	втулка
B-14M-170 - 50F	222,81	4040
B-14M-170 - 52F	231,73	4040
B-14M-170 - 54F	240,64	4040
B-14M-170 - 56F	249,55	4040
B-14M-170 - 58F	258,46	4040
B-14M-170 - 60F	267,38	4040
B-14M-170 - 64F	285,20	4040
B-14M-170 - 68	303,02	4545
B-14M-170 - 72	320,86	4545
B-14M-170 - 84	374,32	4545
B-14M-170 - 96	427,80	4545
B-14M-170 - 102	454,53	4545
B-14M-170 - 112	499,10	5050
B-14M-170 - 114	508,01	5050
B-14M-170 - 144	641,70	5050

Звездочка



Z	7 - 120
6 mm	I

Z	7 - 120
8 mm	I, II

Z	7 - 120
3/8" 06 B	I, II, III

Z	7 - 120
1/2" 08 B	I, II, III

Z	7 - 120
5/8" 10 B	I, II, III

Z	7 - 120
3/4" 12 B	I, II, III

Z	7 - 120
1" 16 B	I, II, III

Z	7 - 120
1 1/4" 20 B	I, II, III

Z	7 - 120
1 1/2" 24 B	I, II, III

Z	7 - 105
1 3/4" 28 B	I, II, III


Z	7 - 90
2" 32 B	I, II, III

модуль	шаг зубьев	ролик цепи
6 mm	6 mm	4 mm
8 mm	8 mm	5 mm
3/8" 06 B	9,525 mm	6,35 mm
1/2" 08 B	12,7 mm	8,51 mm
5/8" 10 B	15,88 mm	10,16 mm
3/4" 12 B	19,05 mm	12,07 mm
1" 16 B	25,4 mm	15,88 mm
1 1/4" 20 B	31,75 mm	19,05 mm
1 1/2" 24 B	38,1 mm	25,4 mm
1 3/4" 24 B	44,45 mm	27,94 mm
2" 32 B	50,08 mm	29,21 mm

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)

3/8" 06 В (серия)




3/8" 06 В-1 шаг цепи : 9,525 mm ширина зуба : 5,3 mm

Z	Dk	втулка	тип	H	L
16	52	1008	B	45+	22
17	54,5	1008	B	45+	22
18	58	1008	B	45	22
19	59,5	1008	B	45	22
20	64	1008	B	46	22
21	67	1008	B	46	22
22	69,5	1008	B	52	22
23	73	1210	B	58	25
24	74,5	1210	B	61	25
25	79	1210	B	63	25
26	82	1210	B	63	25
27	84,5	1210	B	63	25
28	88	1210	B	63	25
30	95	1210	B	63	25
32	101	1210	B	63	25
34	107	1610	B	63	25
35	110	1610	B	63	25
36	113	1610	B	63	25
38	119	2012	B	70	25
40	125,5	2012	B	70	25
42	129,5	2012	B	70	25
45	139	2012	B	70	25
48	149	2012	B	70	25
42	101	1210	B	70	25
45	107	1210	B	70	25
48	110	1210	B	70	25
50	113	1210	B	70	25
52	119	1210	B	70	25
54	125,5	1210	B	70	25
57	129,5	1210	B	70	25
60	139	1610	B	70	25
65	149	1610	B	70	25
70	125,5	1610	B	70	25
75	129,5	2012	B	70	25
80	139	2012	B	70	25
85	149	2012	B	70	25

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)

3/8" 06 B (серия)




3/8" 06 B-2 шаг цепи : 9,525 mm ширина зуба : 15,6 mm

Z	Dk	втулка	тип	H	L
16	52	1008	B	45+	22
17	54,5	1008	B	45+	22
18	58	1008	B	45	22
19	59,5	1008	B	45	22
20	64	1008	B	46	22
21	67	1008	B	46	22
22	69,5	1008	B	52	22
23	73	1210	B	58	25
24	74,5	1210	B	61	25
25	79	1210	B	63	25
26	82	1210	B	63	25
27	84,5	1210	B	63	25
28	88	1210	B	63	25
30	95	1210	B	63	25
32	101	1210	B	63	25
34	107	1610	B	63	25
35	110	1610	B	63	25
36	113	1610	B	63	25
38	119	2012	B	70	25
40	125,5	2012	B	70	25
42	129,5	2012	B	70	25
45	139	2012	B	70	25
48	149	2012	B	70	25
42	101	1210	B	70	25
45	107	1210	B	70	25
48	110	1210	B	70	25
50	113	1210	B	70	25
52	119	1210	B	70	25
54	125,5	1210	B	70	25
57	129,5	1210	B	70	25
60	139	1610	B	70	25
65	149	1610	B	70	25
70	125,5	1610	B	70	25
75	129,5	2012	B	70	25
80	139	2012	B	70	25
85	149	2012	B	70	25

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)

1/2" 08 В (серия)




1/2" 08 В-1 шаг цепи : 12,7 mm ширина зуба : 7,2 mm

Z	Dk	втулка	тип	H	L
14	62	1008	B	45	22
15	66	1008	B	45	22
16	69	1108	B	52	22
17	74	1210	B	56	25
18	78	1210	B	60	25
19	82	1210	B	63	25
20	86	1210	B	71	25
21	89	1610	B	71	25
22	94	1610	B	76	25
23	98	1610	B	76	25
24	102	1610	B	76	25
25	106	1610	B	76	25
26	109	1610	B	76	25
27	114	1610	B	76	25
28	118	2012	B	90	32
30	126	2012	B	90	32
32	134	2012	B	90	32
34	143	2012	B	90	32
35	147	2012	B	90	32
36	151	2012	B	90	32
38	159	2012	B	90	32
40	167	2012	B	90	32
42	175	2012	B	100	32
45	187	2012	B	100	32
48	199	2012	B	100	32
50	207	2012	B	100	32
52	215	2012	B	100	32
54	223	2012	B	100	32
57	235	2012	B	100	32
60	247	2012	B	100	32
65	268	2012	B	100	32
70	288	2012	B	100	32
75	308	2012	B	100	32
80	328	2012	B	100	32
85	349	2012	B	100	32

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)

1/2" 08 В (серия)




1/2" 08 В-2 шаг цепи : 12,7 mm ширина зуба : 21 mm

z	Dk	втулка	тип	H	L
14	62	1008	B	45	22
15	66	1008	B	45	22
16	69	1108	B	50	22
17	74	1210	B	56	25
18	78	1210	B	60	25
19	82	1210	B	63	25
20	86	1610	B	71	25
21	89	1610	B	71	25
22	94	1610	B	76	25
23	98	1610	B	79	25
24	102	1610	B	84	25
25	106	2012	B	87	32
26	109	2012	B	87	32
27	114	2012	B	87	32
28	118	2012	B	87	32
30	126	2012	B	90	32
32	134	2012	B	90	32
34	143	2012	B	90	32
35	147	2012	B	100	32
36	151	2012	B	100	32
38	159	2012	B	100	32
40	167	2012	B	100	32
42	175	2012	B	100	32
45	187	2012	B	100	32
48	199	2012	B	100	32
50	207	2012	B	100	32
52	215	2012	B	100	32
54	223	2012	B	100	32
57	235	2012	B	100	32
60	247	2012	B	100	32
65	268	2012	B	100	32
70	288	2012	B	100	32
75	308	2012	B	100	32
80	328	2012	B	100	32
85	349	2012	B	100	32

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)

5/8" 10 В (серия)





5/8" 10 В-1 шаг цепи : 15,88 mm ширина зуба : 9,1 mm

Z	Dk	втулка	ТИП	H	L
12	68	1008	B	45	22
13	73	1008	B	47	22
14	78	1108	B	52	22
15	83	1210	B	60	25
16	88	1610	B	65	25
17	93	1610	B	70	25
18	98	1610	B	75	25
19	104	1610	B	75	25
20	108	1610	B	76	25
21	114	1610	B	76	25
22	119	1610	B	76	25
23	124	1610	B	76	25
24	129	2012	B	90	25
25	134	2012	B	90	25
26	139	2012	B	90	32
27	144	2012	B	90	32
28	149	2012	B	90	32
30	159	2012	B	90	32
32	169	2012	B	90	32
34	179	2012	B	90	32
35	184	2012	B	90	32
36	189	2012	B	90	32
38	199	2012	B	90	32
40	209	2012	B	90	32
42	219	2012	B	100	32
45	234	2012	B	100	32
48	250	2012	B	100	32
50	260	2012	B	100	32
52	270	2012	B	100	32
54	280	2012	B	100	32
57	295	2012	B	100	32
60	310	2012	B	100	32
65	335	2012	B	100	32
70	361	2012	B	100	32
75	386	2012	B	100	32
80	411	2012	B	110	32
85	436	2012	B	110	32

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)



5/8" 10 B (серия)


5/8" 10 B-2 шаг цепи : 15,88 mm ширина зуба : 25,6 mm

Z	Dk	втулка	тип	H	L
12	68	1008	A	-	25,5
13	73	1008	A	-	25,5
14	78	1108	A	-	25,5
15	83	1210	A	-	25,5
16	88	1610	A	-	25,5
17	93	1610	A	-	25,5
18	98	1610	A	-	25,5
19	104	1610	A	-	25,5
20	108	1610	A	-	25,5
21	114	1610	A	-	25,5
22	119	1610	A	-	25,5
23	124	1610	A	-	25,5
24	129	2012	B	90	32
25	134	2012	B	90	32
26	139	2012	B	90	32
27	144	2012	B	90	32
28	149	2012	B	90	32
30	159	2012	B	90	32
32	169	2012	B	90	32
34	179	2012	B	90	32
35	184	2012	B	90	32
36	189	2517	B	110	45
38	199	2517	B	110	45
40	209	2517	B	110	45
42	219	2517	B	110	45
45	234	2517	B	110	45
48	250	2517	B	110	45
50	260	2517	B	110	45
52	270	2517	B	110	45
54	280	2517	B	110	45
57	295	2517	B	110	45
60	310	2517	B	110	45
65	335	2517	B	110	45
70	361	2517	B	110	45
75	386	2517	B	110	45
80	411	2517	B	110	45
85	436	2517	B	110	45

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)



3/4" 12 В (серия)


3/4" 12 В-1 шаг цепи : 19,05 mm ширина зуба : 11,1 mm

Z	Dk	втулка	тип	H	L
11	76	1108	B	47	22
12	83	1108	B	52	22
13	88	1210	B	60	25
14	94	1610	B	70	25
15	100	1610	B	70	25
16	106	1610	B	75	25
17	113	1610	B	76	25
18	119	2012	B	90	32
19	124	2012	B	90	32
20	130,5	2012	B	95	32
21	136	2517	B	102	45
22	143	2517	B	102	45
23	149	2517	B	108	45
24	155	2517	B	108	45
25	161	2517	B	108	45
26	167	2517	B	108	45
27	173	2517	B	108	45
28	179	2517	B	108	45
30	191	2517	B	108	45
32	203	2517	B	108	45
34	215	2517	B	108	45
35	221	2517	B	108	45
36	228	2517	B	108	45
38	240	2517	B	108	45
40	252	2517	B	108	45
42	264	2517	B	108	45
45	282	2517	B	108	45
48	300	2517	B	108	45
50	312	2517	B	108	45
52	325	2517	B	108	45
54	337	2517	B	108	45
57	355	2517	B	108	45
60	374	2517	B	108	45
65	403	2517	B	108	45
70	433	2517	B	108	45
75	464	2517	B	108	45
80	494	2517	B	108	45
85	525	2517	B	108	45

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)




3/4" 12 В (серия)

3/4" 12 В-2 шаг цепи : 19,05 mm ширина зуба : 30,3 mm

Z	Dk	втулка	тип	H	L
11	76	1210	A	-	30,3
12	83	1210	A	-	30,3
13	88	1210	A	-	30,3
14	94	1610	A	-	30,3
15	100	1610	A	-	30,3
16	106	1610	A	-	30,3
17	113	1610	A	-	30,3
18	119	2012	B	90	32
19	124	2012	B	90	32
20	130,5	2517	B	105	45
21	136	2517	B	108	45
22	143	2517	B	108	45
23	149	2517	B	108	45
24	155	2517	B	108	45
25	161	2517	B	108	45
26	167	2517	B	108	45
27	173	2517	B	108	45
28	179	2517	B	108	45
30	191	2517	B	108	45
32	203	2517	B	108	45
34	215	2517	B	108	45
35	221	2517	B	108	45
36	228	2517	B	108	45
38	240	3020	B	140	51
40	252	3020	B	140	51
42	264	3020	B	140	51
45	282	3020	B	140	51
48	300	3020	B	140	51
50	312	3020	B	140	51
52	325	3020	B	140	51
54	337	3020	B	140	51
57	355	3020	B	140	51
60	374	3020	B	140	51
65	403	3020	B	140	51
70	433	3020	B	140	51
75	464	3020	B	140	51
80	494	3020	B	140	51
85	525	3020	B	140	51

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)





1" 16 В (серия)

1" 16 В-1 шаг цепи : 25,4 mm ширина зуба : 16,2 mm

Z	Dk	втулка	тип	H	L
10	94	1610	B	63	25
11	102	1610	B	63	25
12	110	1610	B	76	25
13	118	1610	B	78	25
14	126	1610	B	78	25
15	134	1610	B	78	25
16	142	2012	B	90	32
17	150,5	2012	B	90	32
18	158,5	2517	B	108	45
19	166,5	2517	B	108	45
20	174	2517	B	108	45
21	182	2517	B	108	45
22	190	2517	B	108	45
23	198	2517	B	108	45
24	207	2517	B	108	45
25	215	2517	B	108	45
26	223	2517	B	108	45
27	231	2517	B	108	45
28	239	2517	B	108	45
30	255	3020	B	140	51
32	271	3020	B	140	51
34	287	3020	B	140	51
35	295	3020	B	140	51
36	303	3020	B	140	51
38	320	3020	B	140	51
40	336	3020	B	140	51
42	352	3020	B	140	51
45	376	3020	B	140	51
48	400	3020	B	140	51
50	417	3020	B	140	51
52	433	3020	B	140	51
54	449	3020	B	140	51
57	473	3020	B	140	51
60	497	3020	B	140	51
65	538	3020	B	140	51
70	578	3020	B	140	51
75	619	3020	B	140	51
80	659	3020	B	140	51
85	699	3020	B	140	51

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)




1" 16 В (серия)

1" 16 В-2 шаг цепи : 25,4 mm ширина зуба : 47,2 mm

Z	Dk	втулка	тип	H	L
10	94	1610	B	-	47,7
11	102	1610	B	-	47,7
12	110	1610	B	-	47,7
13	118	1610	B	-	47,7
14	126	1610	B	-	47,7
15	134	1610	B	-	47,7
16	142	2012	B	-	47,7
17	150,5	2012	B	-	47,7
18	158,5	2517	B	-	47,7
19	166,5	2517	B	108	51
20	174	2517	B	108	51
21	182	2517	B	108	51
22	190	2517	B	108	51
23	198	2517	B	108	51
24	207	2517	B	108	51
25	215	2517	B	108	51
26	223	2517	B	108	51
27	231	2517	B	108	51
28	239	2517	B	108	51
30	255	3020	B	140	51
32	271	3020	B	140	51
34	287	3020	B	140	51
35	295	3020	B	140	51
36	303	3020	B	140	51
38	320	3020	B	140	51
40	336	3020	B	140	51
42	352	3020	B	140	51
45	376	3020	B	140	63,5
48	400	3020	B	140	63,5
50	417	3020	B	140	63,5
52	433	3020	B	140	63,5
54	449	3020	B	140	63,5
57	473	3020	B	140	63,5
60	497	3020	B	140	63,5
65	538	3020	B	140	63,5
70	578	3020	B	140	63,5
75	619	3020	B	140	63,5
80	659	3020	B	140	63,5
85	699	3020	B	140	63,5

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)





1" 16 B (серия)

1" 16 B-1 шаг цепи : 25,4 mm ширина зуба : 16,2 mm

Z	Dk	втулка	тип	H	L
10	94	1610	B	63	25
11	102	1610	B	63	25
12	110	1610	B	76	25
13	118	1610	B	78	25
14	126	1610	B	78	25
15	134	1610	B	78	25
16	142	2012	B	90	32
17	150,5	2012	B	90	32
18	158,5	2517	B	108	45
19	166,5	2517	B	108	45
20	174	2517	B	108	45
21	182	2517	B	108	45
22	190	2517	B	108	45
23	198	2517	B	108	45
24	207	2517	B	108	45
25	215	2517	B	108	45
26	223	2517	B	108	45
27	231	2517	B	108	45
28	239	2517	B	108	45
30	255	3020	B	140	51
32	271	3020	B	140	51
34	287	3020	B	140	51
35	295	3020	B	140	51
36	303	3020	B	140	51
38	320	3020	B	140	51
40	336	3020	B	140	51
42	352	3020	B	140	51
45	376	3020	B	140	51
48	400	3020	B	140	51
50	417	3020	B	140	51
52	433	3020	B	140	51
54	449	3020	B	140	51
57	473	3020	B	140	51
60	497	3020	B	140	51
65	538	3020	B	140	51
70	578	3020	B	140	51
75	619	3020	B	140	51
80	659	3020	B	140	51
85	699	3020	B	140	51

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)



1" 16 В (серия)


1" 16 В-2 шаг цепи : 25,4 mm ширина зуба : 47,2 mm

Z	Dk	втулка	тип	H	L
10	94	1610	A	-	47,7
11	102	1610	A	-	47,7
12	110	1610	A	-	47,7
13	118	1610	A	-	47,7
14	126	1610	A	-	47,7
15	134	1610	A	-	47,7
16	142	2012	A	-	47,7
17	150,5	2012	A	-	47,7
18	158,5	2517	A	-	47,7
19	166,5	2517	B	108	51
20	174	2517	B	108	51
21	182	2517	B	108	51
22	190	2517	B	108	51
23	198	2517	B	108	51
24	207	2517	B	108	51
25	215	2517	B	108	51
26	223	2517	B	108	51
27	231	2517	B	108	51
28	239	2517	B	108	51
30	255	3020	B	140	51
32	271	3020	B	140	51
34	287	3020	B	140	51
35	295	3020	B	140	51
36	303	3020	B	140	51
38	320	3020	B	140	51
40	336	3020	B	140	51
42	352	3020	B	140	51
45	376	3020	B	140	63,5
48	400	3020	B	140	63,5
50	417	3020	B	140	63,5
52	433	3020	B	140	63,5
54	449	3020	B	140	63,5
57	473	3020	B	140	63,5
60	497	3020	B	140	63,5
65	538	3020	B	140	63,5
70	578	3020	B	140	63,5
75	619	3020	B	140	63,5
80	659	3020	B	140	63,5
85	699	3020	B	140	63,5

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)

1" 1/4 B (серия)





1" 1/4 B-1 шаг цепи : 31,75 mm ширина зуба : 18,6 mm

Z	Dk	втулка	тип	H	L
11	127	1615	B	63	38
12	137	1615	B	70	38
13	147	2012	B	90	32
14	157	2012	B	90	32
15	167	2517	B	108	45
16	177	2517	B	108	45
17	187	2517	B	108	45
18	197	2517	B	108	45
19	207	2517	B	108	45
20	217	2517	B	108	45
21	227	2517	B	108	45
22	237	2517	B	108	45
23	247	2517	B	108	45
24	257	2517	B	108	45
25	267	2517	B	108	45
26	277	2517	B	108	45
27	288	2517	B	108	45
28	298	3020	B	150	51
30	318	3020	B	150	51
32	338	3020	B	150	51
34	358	3020	B	150	51
35	368	3020	B	150	51
36	378	3020	B	150	51
38	399	3020	B	150	51
40	419	3020	B	150	51
42	439	3020	B	160	51
45	469	3020	B	160	51
48	499	3020	B	160	51
50	520	3020	B	160	51
52	540	3020	B	160	51
54	560	3020	B	160	51
57	590	3020	B	160	51
60	621	3020	B	160	51
65	671	3020	B	160	51
70	722	3535	B	170	89
75	772	3535	B	170	89
80	823	3535	B	170	89
85	873	3535	B	170	89

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)




1" 1/4 B (серия)

1" 1/4 20 B-2 шаг цепи : 31,75 mm ширина зуба : 54,6 mm

Z	Dk	втулка	тип	H	L
11	127	1615	A	-	54,6
12	137	1615	A	-	54,6
13	147	2012	A	-	54,6
14	157	2012	A	-	54,6
15	167	2517	A	-	54,6
16	177	2517	A	-	54,6
17	187	2517	A	-	54,6
18	197	2517	A	-	54,6
19	207	2517	A	-	54,6
20	217	2517	A	-	54,6
21	227	2517	A	-	54,6
22	237	2517	A	-	54,6
23	247	2517	A	-	54,6
24	257	2517	A	-	54,6
25	267	2517	A	-	54,6
26	277	2517	A	-	54,6
27	288	2517	A	-	54,6
28	298	3020	A	-	54,6
30	318	3020	A	-	54,6
32	338	3020	A	-	54,6
34	358	3020	A	-	54,6
35	368	3020	A	-	54,6
36	378	3020	A	-	54,6
38	399	3020	A	-	54,6
40	419	3020	A	-	54,6
42	439	3020	A	-	54,6
45	469	3020	A	-	54,6
48	499	3020	A	-	54,6
50	520	3020	A	-	54,6
52	540	3020	A	-	54,6
54	560	3020	A	-	54,6
57	590	3020	A	-	54,6
60	621	3020	A	-	54,6
65	671	3020	A	-	54,6
70	722	3535	B	180	89
75	772	3535	B	180	89
80	823	3535	B	180	89
85	873	3535	B	180	89

Шкиф зубчатый под втулку тапербуш




B-5M (серия)

B-5M-09 шаг зубьев : 5 mm ширина ремня : 9 mm

KOD	PD	втулка
B-5M-09 - 34F	54,11	1008
B-5M-09 - 36F	57,29	1008
B-5M-09 - 38F	60,47	1008
B-5M-09 - 40F	63,66	1008
B-5M-09 - 42F	66,84	1008
B-5M-09 - 44F	70,03	1008
B-5M-09 - 46F	73,20	1008
B-5M-09 - 48F	76,39	1210
B-5M-09 - 50F	79,57	1210
B-5M-09 - 52F	82,75	1210
B-5M-09 - 54F	85,94	1210
B-5M-09 - 56F	89,12	1210
B-5M-09 - 58F	92,30	1210
B-5M-09 - 60F	95,49	1210
B-5M-09 - 64F	101,85	1210
B-5M-09 - 68F	108,22	1610
B-5M-09 - 72F	114,59	1610
B-5M-09 - 84	138,68	1610
B-5M-09 - 96	152,78	2012
B-5M-09 - 102	162,32	2012
B-5M-09 - 112	178,24	2012
B-5M-09 - 114	181,42	2012
B-5M-09 - 144	229,17	2012

Шкиф зубчатый под втулку тапербуш





B-5M (серия)

B-5M-09 шаг зубьев : 5 mm ширина ремня : 9 mm

KOD	PD	втулка
B-5M-09 - 34F	54,11	1008
B-5M-09 - 36F	57,29	1008
B-5M-09 - 38F	60,47	1008
B-5M-09 - 40F	63,66	1008
B-5M-09 - 42F	66,84	1008
B-5M-09 - 44F	70,03	1008
B-5M-09 - 46F	73,20	1008
B-5M-09 - 48F	76,39	1210
B-5M-09 - 50F	79,57	1210
B-5M-09 - 52F	82,75	1210
B-5M-09 - 54F	85,94	1210
B-5M-09 - 56F	89,12	1210
B-5M-09 - 58F	92,30	1210
B-5M-09 - 60F	95,49	1210
B-5M-09 - 64F	101,85	1210
B-5M-09 - 68F	108,22	1610
B-5M-09 - 72F	114,59	1610
B-5M-09 - 84	138,68	1610
B-5M-09 - 96	152,78	2012
B-5M-09 - 102	162,32	2012
B-5M-09 - 112	178,24	2012
B-5M-09 - 114	181,42	2012
B-5M-09 - 144	229,17	2012

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)




1" 1/2 В (серия)

1" 1/2 24 В-2 шаг цепи : 38,1 mm ширина зуба : 72 mm

Z	Dk	втулка	тип	H	L
11	149	2012	A	-	72
12	161	2012	A	-	72
13	173	2517	A	-	72
14	185	2517	A	-	72
15	197	2517	A	-	72
16	209	3020	A	-	72
17	221	3020	A	-	72
18	233	3020	A	-	72
19	246	3020	A	-	72
20	258	3020	A	-	72
21	270	3020	A	-	72
22	282	3020	A	-	72
23	294	3020	A	-	72
24	306	3020	A	-	72
25	318	3020	A	-	72
26	330	3020	A	-	72
27	342	3020	A	-	72
28	354	3020	A	-	72
30	379	3020	A	-	72
32	403	3020	A	140	72
34	427	3020	A	140	72
35	439	3020	A	140	72
36	451	3020	A	140	72
38	475	3020	A	140	76
40	500	3020	A	140	76
42	524	3020	A	140	76
45	560	3020	A	140	76
48	597	3020	A	140	76
50	621	3020	A	140	76
52	645	3020	A	140	76
54	669	3535	A	170	76
57	706	3535	A	170	76
60	742	3535	A	170	76
65	803	3535	A	170	76
70	863	3535	B	170	76
75	924	3535	B	170	76
80	985	3535	B	170	76
85	1045	3535	B	170	76

Звездочка под втулку тапербуш

(DIN 8187 ISO / R 606)



1" 1/2 B (серия)

1" 1/2 24 B-1 шаг цепи : 38,1 mm ширина зуба : 24,1 mm

Z	Dk	втулка	тип	H	L
11	149	2012	B	92	32
12	161	2012	B	92	32
13	173	2517	B	108	45
14	185	2517	B	108	45
15	197	2517	B	108	45
16	209	3020	B	140	51
17	221	3020	B	140	51
18	233	3020	B	140	51
19	246	3020	B	140	51
20	258	3020	B	140	51
21	270	3020	B	140	51
22	282	3020	B	140	51
23	294	3020	B	140	51
24	306	3020	B	140	51
25	318	3020	B	140	51
26	330	3020	B	140	51
27	342	3020	B	140	51
28	354	3020	B	140	51
30	379	3020	B	140	51
32	403	3020	B	140	51
34	427	3020	B	140	51
35	439	3020	B	140	51
36	451	3020	B	140	51
38	475	3020	B	140	76
40	500	3020	B	140	76
42	524	3020	B	140	76
45	560	3020	B	140	76
48	597	3020	B	140	76
50	621	3020	B	140	76
52	645	3020	B	140	76
54	669	3535	B	170	89
57	706	3535	B	170	89
60	742	3535	B	170	89
65	803	3535	B	170	89
70	863	3535	B	170	89
75	924	3535	B	170	89
80	985	3535	B	170	89
85	1045	3535	B	170	89